



PRODUCT DESCRIPTION:



IT

Questo prodotto è il risultato dalla Ricerca per scopi militari, come la maggior parte delle innovazioni tecnologiche e si espande nella società civile in settori come l'industria e l'edilizia.

E' disponibile in polvere e granuli unicamente per scopi industriali

mentre in rotoli o lastre di feltro, più o meno rigide, per l'isolamento termico. I dati relativi al coefficiente termico determinano un'eccellenza unica del settore e poi, il feltro laminato alla lastra di magnesio, si presta a specifici impieghi dove la resistenza al fuoco è fondamentale.

Il feltro Aerogel è idrofobico, resistente al fuoco, isolante termico. Dove l'umidità è un fattore da tenere in considerazione, dove la resistenza al fuoco può essere determinante, dove l'isolamento termico può dimezzare il consumo di energia, questo è il prodotto giusto da utilizzare.




ENG

This product is the result of Research for military purposes, like most technological innovations and expands into civil society in sectors such as industry and construction. It is available in powder and granules for industrial purposes only while in rolls or sheets of felt, more or less rigid, for thermal insulation. The data relating to the thermal coefficient determine a unique excellence in the sector and then, the felt laminated to the magnesium plate, is suitable for specific uses where resistance to fire is essential. Aerogel felt is hydrophobic, fire resistant, thermal insulator. Where humidity is a factor to consider, where fire resistance can be decisive, where thermal insulation can halve energy consumption, this is the right product to use.

PRODUCT LIST

- TR585-LASF



ROLL
00,00€ / mq

- Aerogel Soft Felt - IEE
Thickness: 10mm
Width: 100 cm
Length: 500 cm



PACKAGING:

One pallet 170 m2 - 34 Rolls

- TR585-ASF



PANEL
00,00€ / mq

- Aerogel Soft Felt - IEE
Thickness: 10mm
Width: 100 cm
Length: 120 cm



PACKAGING:

One pallet 216 m2 - 15 boxes (12 panels each)

- TR585-LAHF



- Aerogel Hard Felt - IEE
Thickness: 12mm
Width: 100 cm
Length: 120 cm




PANEL
00,00€ / mq

PACKAGING:

One pallet 180 m² - 15 boxes (10 panels each)

- TR585-LAMP



- Aerogel Magnesium Oxide
Composite Panel - HFR* - IEE
Thickness: 22mm
Width: 100 cm
Length: 120 cm



PANEL HFR
*High Fire Resistance
00,00€ / mq

PACKAGING:
One pallet 57,60 m²

- TR585-LAPE

00,00€/Kg

GRANULES

- Aerogel Pearls IEE for Technical Blends



PACKAGING:

Bag 10Kg

Pallet 600Kg

- TR585-LAPO

00,00€ / Kg

NANOTECHNOLOGICAL POWDER

- Aerogel Powder IEE for Primary Element for Technological Projects



PACKAGING:

Bag 5Kg - Pallet 330 Kg